

SERIES OF DIGITAL DISPLAY HEATING MANTLE



SSKW (100-2000 ml Digital Display Heating Mantle)



SSKW (3000-10000 ml Digital Display Heating Mantle)



SSKW (20000 ml Digital Display Heating Mantle)



SSKW (50000 ml Digital Display Heating Mantle)

It is used in heating liquid in laboratories of the fields of colleges and universities, petroleum and chemical industry, medicine, environment protection etc.

CHARACTERISTIC

1. It is the internally heater in hemisphere shape. It adopts high-temperature resistant alkali-free glass fibre to be the insulating material and seal up the nichrome resistive conductor within the insulating layer and braid it.
2. The case adopts the high quality cold-rolled plate and the electrosatic plastic spraying treatment on the surface.
3. It has advantages of big heating area, speed hypermatic, uniform temperature, good heat preservation results and no open fire.
4. Corrosion-resisting, ageing resistant, durable and solid, safety and reliable.
5. Smart style has a temperature setting, automatic temperature control, digital display of temperature, dual sensor temperature can be measured separately within the core temperature and material and so on.
6. Way of heating : Temperature-control (Electronic Thermoregulation)

MAJOR TECHNICAL PARAMETER

Specification	100	250	500	1000	2000	3000	5000	10000	20000	50000
Power (W)	100	180	250	300	500	600	1000	1500	2500	6000
Voltage (V)	AC220V 50HZ									
Max. Working Temperature (°C)	380°C Temperature of Heating Element Heater									
Working Time	Continuous									
Overall Dimension (mm) (diameter x high)	ø 175 x 150	ø 175 x 150	ø 200 x 160	ø 240 x 175	ø 280 x 215	ø 289 x 240	ø 354 x 270	ø 414 x 310	ø 489 x 285	ø 690 x 475
NW (Kg)	1.3	1.3	1.8	2.7	3.7	4.2	8.25	10	13	42
GW (Kg)	1.5	1.5	2	3	4	4.5	9	11	14	58

Note :

Due to keeping innovation, the specification and Machine pictures or color are subject to alteration without notice!

VGI

SERIES OF POINTER INSTRUMENT HEATING MANTLE (LINK TYPE)



SXKW (2 Unite Heating
Mantle Digital Display)



SXKW (4 Unite Heating
Mantle Digital Display)



SXKW (8 Unite Heating
Mantle Digital Display)

It is used in heating liquid in laboratories of the fields of colleges and universities, petroleum and chemical industry, medicine, environment protection etc.

CHARACTERISTIC

1. It is the internally heater in hemisphere shape. It adopts high-temperature resistant alkali-free glass fibre to be the insulating material and seal up the nichrome resistive conductor within the insulating layer and braid it.
2. The case adopts the high quality cold-rolled plate and the electrosatic plastic spraying treatment on the surface.
3. It has advantages of big heating area, speed hypermatic, uniform temperature, good heat preservation results and no open fire.
4. Corrosion-resisting, ageing resistant, durable and solid, safety and reliable.
5. It has beautiful shape and good use result. It is easy to operate.
6. The digital display type has advantages of temperature setting, automatic temperature control and temperature digital display.
7. Way of heating : Intelligent controller type

Note :
Due to keeping innovation,
the specification and
Machine pictures or color
are subject to alteration
without notice!

PT. Valtekindo Global Intertek

ZHX-2



SERIES OF DIGITAL DISPLAY HEATING MANTLE (LINK TYPE)

Model	Double-Unit			
Specification	100	250	500	1000
Power (W)	100 x 2	180 x 2	250 x 2	300 x 2
Overall Dimension (mm) (L x W x H)	280 x 290 x 150	280 x 290 x 150	320 x 320 x 150	390 x 355 x 150
NW (Kg)	3.7	3.8	4.9	6.9
GW (Kg)	4.67	4.77	5.5	7.5
Model	4-Unit			
Specification	100	250	500	1000
Power	100 x 4	180 x 4	250 x 4	300 x 4
Overall Dimension (mm) (L x W x H)	550 x 290 x 150	550 x 290 x 150	635 x 315 x 150	780 x 350 x 150
NW (Kg)	7.25	7.3	10	14
GW (Kg)	8.25	8.4	10.7	14.8
Model	6-Unit			
Specification	100	250	500	1000
Power (W)	100 x 6	180 x 6	250 x 6	300 x 6
Overall Dimension (mm) (L x W x H)	830 x 295 x 150	830 x 295 x 150	950 x 310 x 150	1170 x 355 x 150
NW (Kg)	12	12.5	14	20
GW (Kg)	13	13.5	15.25	21

PT. Valtekindo Global Intertek

Note :
Due to keeping innovation, the specification and Machine pictures or color are subject to alteration without notice!

ZHX-1



SERIES OF MAGNETIC STIRRER HEATING MANTLE (LINK TYPE)

It is used in heating liquid in laboratories of the fields of colleges and universities, petroleum and chemical industry, medicine, environment protection etc.

2 Unite Magnetic Stirrer Heating Mantle (Pointer Instrument)

Note :
Due to keeping innovation, the specification and Machine pictures or color are subject to alteration without notice!

CHARACTERISTIC

1. It is the internally heater in hemisphere shape. It adopts high-temperature resistant alkali-free glass fibre to be the insulating material and seal up the nichrome resistive conductor within the insulating layer and braid it.
2. The case adopts the high quality cold-rolled plate and the electrosatic plastic spraying treatment on the surface.
3. It has adopts stepless speed that is easy to operate and it can make stable precise stirring to liquid solution within a wider speed scope, especially in the experiments of samples with small volume.
4. It has advantages of big heating area, speed hypermatic, uniform temperature, good heat preservation results and no open fire.
5. Corrosion-resisting, ageing resistant, durable and solid, safety and reliable.
6. It has beautiful shape and good use result. It is easy to operate.
7. Way of heating : Instrument type (Regulator type Pointer)

PT. Valtekindo Global Intertek

ZHX-5