


DXDF SERIES AUTOMATIC POWDER PACKING MACHINE

MAIN PARAMETERS

Automatic powder packing machine adopt the advanced electronic clutch structure to control the length of the bag, equipped the photo electricity The machine is controlled to fill material by PLC, and equipped sealing temperature making, counting, filling, sealing and coding and cutting, the machine is suitable for counting packing of 100 - 300MU powder. The material which can be sealed of packing bag. The machine filling by auger. The weight is very accurate.



DXDF-500

Note :
Due to keeping innovation,
the specification and
Machine pictures or color
are subject to alteration
without notice!



DXDF-40

SPECIFICATION

Model	DXDF-40	DXDF-80	DXDF-500
capacity (bag/min)	25-60	20-50	20-40
packing range (ml)	5-40	10-80	50-500
power(kw/V)	1.8/220	1.8/220	2.2/220
length of bag (mm)	80-150	120-200	120-230
width of bag(mm)	70-115	80-150	100-150
dimension (mm)	800 × 700 × 1900	1290 × 820 × 2300	1290 × 820 × 2500
weight (kg)	350	380	600

SJIII-F SERIES AUTOMATIC POWDER MACHINE

MAIN PARAMETERS:

SJIII - F Series Automatic powder packing machine adopt the encoder to control the length of the bag, equipped the photocell sensor. The machine is controlled to fill material by PLC, and equipped sealing temperature making, counting, filling, sealing, coding and cutting, the machine is suitable for counting packing of 100-300 MU powder. The material which can be sealed of packing bag.

FOLLOWING DEVICES ARE OPTIONAL

Nitrogen flushing device
Hole punch device (round hole/euro hole)
Polyethylene sealing system
Gusseted device
Product stopper
Vacuum Bag device
Additional former
Tear notched

Note :
Due to keeping innovation,
the specification and
Machine pictures or color
are subject to alteration
without notice!



SPECIFICATION

Model	SJIII-F500	SJIII-F1000	SJIII-F5000
capacity (bag/min)	20-60	25-60	20-40
packing range (ml)	100-500	100-1000	100-5000
power(kw/V)	2.0/220	3.5/220	4.0/220
length of bag (mm)	max 300	max 300	max 550
width of bag(mm)	max 200	max 280	max 300
dimension (mm)	2000×1600×2300	2000×1600×2300	2200×1800×2750
weight (kg)	1000	1200	1500



Automatic Powder Filling Machine



Vertical Form Fill & Seal Machine (VFFS or Vertical Packing Machine) adopt advanced technology and developed basing on that, which is high quality & capability auto packaging machine, it's including auto feeding, weighing, bagging, sealing, date printing and output etc. auto functions.

Features:

- With feeding and metering equipment, feeding, metering, filling, sealing, date printing, charging(exhaust), counting, finished product conveying and other work can be completed automatically.
- It can stock ten disposes of use roll stock, simple to change variety.
- Servo motor drawing film, position accurately.
- PLC computer system, HMI Touch Screen Controller, the function is more stable, adjusting any parameters doesn't require stopping the machine.
- Independent temperature control system, precision get to $\pm 1^\circ$, suitable for various of mix film, PE film packing material.
- English and Chinese screen display ,operation is simple
- Horizontal , vertical temperature control ,suitable for various of mix film , PE film packing material
- Packing type diversification, pillow sealing, standing type, punching etc.
- Bag-making, sealing, packing, printing date in one Operation.
- Work circumstance quiet, low noise.

The Main Technical Parmeters

Model	EC-420	EC-520	EC-720
Bag Length	80-300mm	80-400mm	100-400mm
Bag Width	50-200mm	80-250mm	180-350mm
Max width of roll film	420mm	520mm	720mm
Packing Speed	5-60bags/min	5-50bags/min	5-10bags/min
Measuring range	50-1200ml	2000ml(Max)	6000ml(Max)
Air consumption	0.65Mpa	0.65Mpa	0.65Mpa
Gas consumption	0.3m ³ /min	0.4m ³ /min	0.4m ³ /min
Power Voltage	220V	220VAC/50HZ	220VAC/50HZ
POWER	2.2KW	4KW	5KW
Dimension (LxWxH)	1320mmx950mmx1360mm	1150mmx1795mmx1650mm	1780mmx1340mmx2100mm
Weight of machine	540Kg	600Kg	900Kg

Note :

Due to keeping innovation, the specification and Machine pictures or color are subject to alteration without notice!